



## Longhaul 305 – Concrete Remover / Cleaner

### 1. IDENTIFICATION OF THE SUBSTANCE OR PREPARATION AND OF THE COMPANY

Identification of Preparation: Longhaul 305  
 Date of Safety Data Sheet: March 25, 2017  
 Use of Preparation: Concrete Remover  
 Company Identification: Parkside Professional Products Ltd.  
 4777 Kent Avenue  
 Niagara Falls, Ontario L2H 1J5  
 OFFICE: 905-358-8364

Company Emergency Telephone Number: Emergency Phone: 905-358-8364

Transportation Emergency Telephone Number: CANUTEC 613-996-6666 or \* 666 for cell phone

### 2. HAZARD IDENTIFICATION

Emergency Overview:

OSHA/ WHMIS 2014 Hazards:

Classification of substances or mixture

GHS-US/ Canadian classification:

Acute Toxicity Category 4 (Oral) H302

Acute Toxicity Category 4 (Dermal) H312

Eye Damage Category 1 H318

Label Elements

GHS-US Labeling

Hazard Pictograms (GHS):



Signal Word (GHS): Danger

Hazard Statements (GHS):

H302 - Harmful if swallowed

H318 - Causes serious eye damage

Precautionary Statements (GHS):

P260: Do not breathe mist, spray, and vapors.

P264: Wash hands, forearms, and exposed areas thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P280: Wear face protection, protective clothing, protective gloves, and eye protection.



## Longhaul 305 – Concrete Remover / Cleaner

### Response Statements (GHS):

P301+ P310+ P312+ P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor/physician if you feel unwell.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.

P363: Wash contaminated clothing before reuse.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Description: Chemical Blend

Ingredient	CAS#	% by Wt	Classification
Urea, monohydrochloride	506-89-8	15-38	Acute Toxicity Category 4 (Oral) - H302 Serious Eye Damage/Irritation Category 1 - H318 STOT Information not currently available.

### 4. FIRST AID MEASURES

<b>Inhalation:</b>	Remove to fresh air. If symptoms persist consult physician.
<b>Eye Contact:</b>	Remove contacts. Flush with water for at least 20 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
<b>Skin Contact:</b>	Thoroughly wash exposed skin with soap and water. Remove any contaminated clothing and wash before reuse. Chemical burns must be treated by physician.
<b>Ingestion:</b>	Wash out mouth with water. Drink plenty of water. Do not induce vomiting unless directed by medical personal. Never give anything to an unconscious person. Immediately call a POISON CENTRE or doctor/physician.
<b>Notes to Physician:</b>	Treatment based on judgment of attending physician.
<b>Most Important symptoms and effects, both acute and delayed:</b>	Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling and blurred vision.

### 5. FIRE FIGHTING MEASURES

<b>Suitable extinguishing media:</b>	Any standard extinguishing media (alcohol foam, water spray or fog, CO2 dry chemical, etc.).
<b>Unsuitable extinguishing media:</b>	None known.
<b>Special exposure hazards:</b>	None known.
<b>Special safety equipment:</b>	Self-contained positive pressure breathing apparatus and protective clothing.
<b>Fire and explosion</b>	Not flammable. No explosion hazard.
<b>Further information</b>	None



## Longhaul 305 – Concrete Remover / Cleaner

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Do not get in eyes, on skin, or on clothing. Do not breathe vapour or mist.

#### For Non-Emergency Personnel:

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### For Emergency Personnel:

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Stop leak if safe to do so. Ventilate area.

#### Environmental Precautions

Prevent entry to sewers and public waters.

#### Methods and Material for Containment and Cleaning Up:

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clear up spills immediately and dispose of waste safely.

**Reference to Other Sections:** See Heading 8. Exposure controls and personal protection.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Avoid splashes or spray in enclosed areas.

#### Information about fire and explosion protection:

Keep respiratory protective device available.

No special measures required.

#### Conditions for safe storage, including any incompatibilities:

##### Storage:

#### Requirements to be met by storerooms and receptacles:

Store in a cool location.

Protect from humidity and water.

Unsuitable material for receptacle: steel.

Unsuitable material for receptacle: aluminium.

Avoid storage near extreme heat, ignition sources or open flame.

#### Information about storage in one common storage facility:

Do not store together with alkaline products.

Store away from oxidizing agents.

Store away from foodstuffs.

#### Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well-ventilated area.

Keep container tightly sealed.

**Specific end use(s)** No further relevant information available.



## Longhaul 305 – Concrete Remover / Cleaner

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Appropriate Engineering Controls:

Engineering Measures	Showers. Eyewash Stations. Ventilation Systems.
Respiratory protection:	Use local exhaust or dilution ventilation.
Hand protection:	Chemical resistant gloves.
Eye protection:	Safety goggles or full face shield.
Skin protection:	Use body-covering impervious clothing.
Working hygiene:	Take usual precautions when handling. Workers should wash hands before eating, drinking or smoking.
Exposure guidelines:	Contains no substances with occupational exposure limit values.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Physical and Chemical Properties

<u>Physical State</u>	Liquid	<u>Odour</u>	Typical.
<u>Appearance</u>	Clear	<u>Odour Threshold</u>	No data available.
<u>Colour</u>	Amber	<u>Remarks/Method</u>	
<u>Property</u>	<u>Values</u>		
pH	< lees than 1.00	None known	
Melting/Freezing Point	No data available	None known	
Boiling Point/Range	No data available	None known	
Flash Point	Not applicable.	None known	
Evaporation Rate	Similar	None known	
Flammability (solid, gas)	Not flammable	None known	
Flammability Limit in Air:			
Upper Limit	No data available	None known	
Lower Limit	No data available	None known	
Vapour Pressure	No data available	None known	
Vapour density	No data available	None known	
Specific Gravity	1.03-1.04 g/cm <sup>3</sup>		
Water Solubility	Soluble in water.	None known	
Solubility Other Solvents	No data available	None known	
Partition Coefficient:			
n-octanol/water	No data available	None known	
Autoignition temperature	No data available	None known	
Decomposition Temperature	No data available	None known	
Kinematic Viscosity	No data available	None known	
Dynamic Viscosity	No data available	None known	
Explosive Properties	No data available	None known	
Oxidizing Properties	No date available	None known	



## Longhaul 305 – Concrete Remover / Cleaner

### Other Properties:

Softening Point	No data available
VOC Content %	No data available
Particle Size	No data available
Particle Size Distribution	No data available

### 10. STABILITY AND REACTIVITY

Reactivity	Stable at normal ambient temperature and pressure.
Chemical stability	Stable up to 110 °C /230°F Heating above 110 °C /230°F results in an exothermic decomposition with rapid release of CO <sub>2</sub> gas
Thermal decomposition/conditions to avoid:	Reacts with alkali, metals, amines and oxidizing agents. Corrodes aluminium.
Possibility of hazardous reactions	Warning! Do not use together with other products. May release dangerous gases (chlorine). Avoid contact with oxidizers.
Conditions to avoid	Store away from oxidizing agents. Warning! Do not use together with other products. May release dangerous gases (chlorine). Avoid contact with oxidizers. This material may be extremely
Hazardous decomposition products	hazardous in contact with chlorates or nitrates. This material is acidic. Contact with hypochlorites (e.g. chlorine bleach, sulfides, or cyanides will liberate toxic gases. Contact with alkaline materials (e.g. aqua ammonia) will generate heat.
Materials to avoid	Oxidizing agents, acids.
Hazardous polymerization	Will not occur

### 11. TOXICOLOGICAL INFORMATION

#### Information on toxicological effects

#### Acute toxicity:

#### LD/LC50 values relevant for classification

#### Urea Hydrochloride CAS # 506-89-8:

LD50 (Oral, rat): 1,100 mg/kg

#### Primary irritant effect:

**On the skin:** Non-corrosive to skin.

**On the eye:** Strong caustic effect.

**Sensitization:** No sensitizing effects known.

**Additional toxicological information:** The product shows the following dangers according to the calculation method:

Corrosive to eye.

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.



## Longhaul 305 – Concrete Remover / Cleaner

### 12. ECOLOGICAL INFORMATION

Toxicity:	Not available.
Persistence and Degradability:	Not available
Bioaccumulative Potential:	Not available
Mobility in Soil:	Not available.
Other Adverse Effects	
Other Information:	Avoid release to the environment.

### 13. DISPOSAL

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, and international regulations.

**Ecology – Waste Materials:** Avoid release to the environment.

### 14. TRANSPORTATION INFORMATION

**Canadian T.D.G.: Regulated Material**

Proper Shipping Name: CORROSIVE LIQUID ,ACIDIC, ORGANIC, N.O.S ,(Urea Monohydrochloride)

Contains: Urea monohydrochloride

Hazard Class: 8

ID Number: UN 3265

Packing Group: II



**U.S. Department of Transportation (DOT): Regulated Material**

Proper Shipping Name: Corrosive liquid, N.O.S.

Proper Shipping Name: CORROSIVE LIQUID ,ACIDIC, ORGANIC, N.O.S ,(Urea Monohydrochloride)

Contains: Urea monohydrochloride

Hazard Class: 8

ID Number: UN 3265

Contains: Urea monohydrochloride

Packing Group: II





**Longhaul 305 – Concrete Remover / Cleaner**

**Water Transportation (IMDG): Regulated Material**

Proper Shipping Name: CORROSIVE LIQUID ,ACIDIC, ORGANIC, N.O.S ,(Urea Monohydrochloride)

Contains: Urea monohydrochloride

Hazard Class: 8

ID Number: UN 3265

Packing Group: II



**Air Transportation (IATA): Regulated Material**

Proper Shipping Name: CORROSIVE LIQUID ,ACIDIC, ORGANIC, N.O.S ,(Urea Monohydrochloride)

Contains: Urea monohydrochloride

Hazard Class: 8

ID Number: UN 3265

Packing Group: II



**15. REGULATION**

**Occupational Health & Safety Regulations:**

**WHMIS Classification:** Class D - Division 2B, Class E



**OSHA & WHMIS:** MSDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) and Canadian WHMIS regulations (Controlled Products Regulations under the Hazardous Products Act).

**International Inventories**

TSCA	Complies
DSL/NDL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies

Date: March 25, 2017

SDS: Pakside Professional Products Ltd Longhaul 305



## Longhaul 305 – Concrete Remover / Cleaner

---

KECL	-
PICCS	-
AICS	Complies

### Legend:

TSCA - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### U.S. State Regulations

#### California Prop. 65

This product does not contain any Proposition 65 chemicals.

#### HMIS III Rating

Health: 3 Serious Hazard

Flammability: 0 Minimal Hazard

Physical: 0 Minimal Hazard

Personal Protection: C

SDS US (GHS HazCom 2012 and WHMIS 2015)





## Longhaul 305 – Concrete Remover / Cleaner

### 16. OTHER INFORMATION

**Prepared By:** Parkside Professional Products Ltd.  
4777 Kent Avenue  
Niagara Falls, Ontario  
L2H 1J5  
905-358-8364

**Issuing Date:** March 25, 2017

**Disclaimer:**

The manufacturer warrants that this product conforms to its standard specification when used according to direction. To the best of our knowledge the information contained herein is accurate. However, we do not assume accuracy or completeness of the information contained herein.

Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

**End of Safety Data Sheet**